

# ANTI-BURGLAR DEVICES



## ANTI-BURGLAR DEVICES

- › MORDE anti-burglar devices for door profiles
- › Anti-burglar devices for window profiles



GB 04/2004

**NSAVIO**

# The security of SAVIO anti-burglar devices

## SECURES

Suitable for internal and external openings, they guarantee a very high safety against burglar attempts.


## COMPLETE RANGE

Available in aluminium, zamak, galvanized steel, stainless steel, with kit and spacers that permit use on a wide range of window and door profiles.

## STRONG AND RAPID INSTALLATION


Tear resistant, simple application without the need for measurement or application within the internal part of the profile. The resistance is guaranteed by the solid fixation onto the profile.

MORDE anti-burglar devices : a new safety solution




Anti-burglar devices					
Art.	Description	Pcs.	Finishes		
	1459	(patented) MORDE Non-handed <b>anti-burglar device for doors</b> in galvanized steel, 6 c' sk. hd. screws Ø 4,8x13 in galvanized steel.  <i>For internal rod profiles.</i>	40		
	1459.1	(patented) MORDE Non-handed <b>anti-burglar device for doors</b> in aluminium, 6 c' sk. hd. screws Ø 4,2x13 in black galvanized steel.	50	NE	
	1459.2	(patented) MORDE Non-handed <b>anti-burglar device for doors</b> in aluminium, 6 c' sk. hd. screws Ø 4,2x13 in black galvanized steel.	50	NE	
	1459.800	Aluminium spacer for art. 1459.1/.2.  <i>For door profiles.</i>	100	NE	
	1459.3	MORDE Non-handed <b>anti-burglar device for doors</b> in stainless steel, 6 c' sk. hd. screws Ø 4,8x16 in stainless steel.  <i>For door profiles.</i>	40		
				<b>NEW!</b>	
	1459.801	Fixing kit for art. 1459.3 including 6 c' sk. hd. screws M5x16 in stainless steel and 6 threaded inserts M5 in white galvanized steel.	40		
	1246.835	Non-handed <b>anti-burglar device for window profiles</b> with grooves 13,5x16,5 and 14x18, in black galvanized zamak, 2 c' sk. hd. screws M5x18 in stainless steel 304 (self-forming), 2 nylon bushings Ø 6-Ø 8 mm.	40		
	1246.838	Non handed <b>anti-burglar device for window profiles</b> with grooves 10x14,3, 12x15 and 12,5x16,5, in black galvanized zamak, 2 c' sk. hd. screws M5x18 in stainless steel 304 (self-forming), 2 nylon bushings Ø 6-Ø 8 mm.	40		


1459





1459.3



1459.801




1459.1 - 1459.2 - 1459.800



Article	A mm
1459.1	20-22,5
1459.2	18-19,5
1459.1+1459.800	23-25,5
1459.1+2 pcs. 1459.800	26-28

1246.835 - 1246.838



A	B	1246.835	1246.838
13,5	16,5		
14	18		
10	14,3		
12	15		
12,5	16,5		

# Suitability table for italian profiles

Extruder	Profile	Article						
		1246.835 1246.838	1459	1459.1	1459.2	1459.3	1459.800	1459.801
AL SYSTEM	GLOBAL 48 Porte					•		•
ALCAN	EURO KEEPER 46/53	•						
	EURO KEEPER Porte			•			•	
	GREEN 45 sorm.	•						
	GREEN 45/52 SP.	•						
	GREEN Porte			•		•	•	•
	GREEN ragg.	•						
	KEEPER 53/60	•						
	KEEPER 53/60 Porte			•			•	
	KEEPER 53/60 ragg.	•						
	KEEPER 61/68	•						
	KEEPER 61/68 Porte			•			•	
OPEN Porte			•			•		
ALCOA	WIN54 Porte			•		•	•	•
	WIN54TT Porte			•		•	•	•
	WIN62 Porte			•		•	•	•
	WIN62TT Porte			•		•	•	•
	WIN70TT Porte			•			•	
ALEXIA	ESEDRA GA 53	•						
	ESEDRA GA 53 ragg.	•						
	ESEDRA TT 63	•						
	ESEDRA TT 75	•						
ALL.CO	ALL.CO 5 Porte			•		•		•
	ALL.CO 5 TT Porte			•		•		•
	EXPORT 40	•						
	EXPORT 45	•						
	EXPORT 45 Raggiato	•						
	EXPORT 45 TT	•						
	EXPORT 45 TT Ragg.	•						
	EXPORT 50	•						
	EXPORT 50 Porte			•		•		•
	EXPORT 50 TT	•						
	EXPORT 50 TT Porte			•				
	K 45T	•						
	K 64T	•						
	K 70T	•						
ALUMEC	SYNTHESIS 45	•						
	SYNTHESIS 57	•						
	SYNTHESIS 57 Porte			•		•		•
	SYNTHESIS 60TT	•						
ASTE INTERNE	FB 12		•					
	GR 9		•					
	NC 40		•					
BODEGA	BGA 50	•						
	BGA 50 Arrotondato	•						
	BGA 50 Porte			•			•	
	BGA 50 Ragg.	•						
	BT 60 TT	•						
CLL	EXTRABLIND 70 Porte				•			
EQUIPE	TECNO 50 Porte			•			•	
	SERIE 8000	•						
	SERIE 8000 Ragg.	•						
	SERIE 8000 TT	•						
	SERIE 8000 TT Ragg.	•						
FINAL	EXPORT 45	•						
	EXPORT 45 Raggiato	•						
	EXPORT 45 T	•						
	EXPORT 45 T Ragg.	•						
	EXPORT 50	•						
	EXPORT 50 Porte			•		•		•
	EXPORT 50 T	•						
HYDRO	BREAK PA 52	•						
	BREAK PA 52 Porte				•	•	•	•
	BREAK PA 52 Ragg.	•						
	BREAK PA 62	•						
	BREAK PA 63	•						
	BREAK PA 63 Porte			•			•	
	BREAK PA 70	•						
	BREAK PA 70 Porte			•		•	•	•
	BREAK PA 70 S	•						
	BREAK PA 70S Porte			•			•	
	DOMAL SECURITY					•		•
	DOMAL SHOPS			•		•	•	•
	DOMAL TWIN	•						
	STOPPER PG	•						
STOPPER PG Porte			•		•		•	

Extruder	Profile	Article						
		1246.835 1246.838	1459	1459.1	1459.2	1459.3	1459.800	1459.801
HYDRO	STOPPER PG ragg.	•						
	STOPPER PG STYLE	•						
IND.INVEST	GOLD 400	•						
	GOLD 400 ragg.	•						
	GOLD 450	•						
	GOLD 490	•						
	GOLD 500	•						
	GOLD 500 PORTE			•		•		•
	GOLD 500 ragg.	•						
	GOLD 600	•						
	GOLD 600 PORTE			•		•		•
METRA	NC 45 INT.	•						
	NC 45 INT. PORTE			•		•		•
	NC 45 INT.ragg.	•						
	NC 45 STH					•		
	NC 45 STH	•						
	NC 45 STH PORTE			•				•
	NC 50		•					
	NC 50 I	•						
	NC 55 INT.	•						
	NC 55 INT. PORTE			•		•		•
	NC 65 STH	•						
	NC 68 STH					•		
	NC 68 STH	•						
	NC 68 STH PORTE			•			•	•
NC 72 STH	•							
SUPERBLINDO			•		•		•	
MEXALL	MX 50	•						
	MX 70	•						
MORELLI	MA 2000 TT	•						
	MA 2000 TT ragg.	•						
OCMA	FC 55 BICOLORE	•						
	FC 55 MONTECARLO	•						
	FC 55 RESTAURO	•						
	FC TT 60 POLO	•						
	SV 39	•						
	SV 39/47 ragg.	•						
	SV 47 VETRINE			•			•	
	SV 47/55	•						
	SV 62 VETRINE			•			•	
	SV TT55	•						
	SV TT62 VETRINE			•			•	
SV TT70	•							
SV TT74	•							
PASSERINI	EKIP BLINDO					•		
	EKIP THERMO 53 Porte			•				
	MAASTRICHT 53	•						
	MAASTRICHT 53 Porte			•		•		•
	MAASTRICHT LIGHT	•						
	MAASTRICHT TH 60	•				•		
	MAASTRICHT TH 60 Porte			•				•
	MAASTRICHT TH 68					•		
	MAASTRICHT TH 68	•						
	MAASTRICHT TH 68 Porte			•				•
VENICE TH16	•							
VENICE TH16 Porte			•			•		
PONZIO SUD	NEW TEC 50 Porte			•		•		•
	NEW TEC 52 Porte			•				
	NEW TEC 60 TT Porte			•		•		•
	NEW TEC 68 TT Porte			•		•		•
	WINDSTOP 45 by PONZIO	•						
	WINDSTOP 45 by PONZIO ragg.	•						
	WINDSTOP 45 TT by PONZIO	•						
WINDSTOP 45 TT by PONZIO ragg.	•							
PROFILATI	EKU 40	•						
	EKU 53	•						
	EKU 53 Porte			•		•		
	EKU 53 ragg.	•						
	EKU 53 TT	•						
	EKU 53 TT Porte			•			•	•
	EKU 64 TT	•						
	EKU 64 TT Porte			•		•		•
EKU 72 TT	•							
EKU 72 TT Porte			•		•		•	
EKU COMPACT	•							
SCHUCO	ROYAL S 50 N porte				•	•		•
	ROYAL S 55 porte				•	•		•
	ROYAL S 65 porte					•		•
	ROYAL S 85NB porte					•		•

Enter the world of SAVIO on-line:


[www.savio.it](http://www.savio.it)

*Look for the quality of SAVIO anti-burglar devices and the full range of SAVIO products on the group's site. Discover the advantages offered by a company portal, constantly evolving to offer market operators new services. As well as company information and the product news, you will find a series of free services aimed at the professional sector. Just register and fill in the provided on-line.*

*Every day, around the clock, you will be able to:*

- *Consult all technical documentation (catalogues, brochures, assembly instructions, etc.) and download it in PDF format.*
- *Use the "Savio Web Assistance" service*
  - *Be constantly updated on all new developments on the site via e-mail*
  - *Be the first to know about promotional offers.*

*It's easy up-to-date with [www.savio.it](http://www.savio.it)  
all it takes is a click!*



Savio S.p.A. Via Torino, 25 (S.S. 25)  
10050 Chiusa S. Michele (TO) Italy  
Tel.+39.011.964.34.64 - Fax+39.011.964.34.74  
[www.savio.it](http://www.savio.it) - e-mail: [export@savio.it](mailto:export@savio.it)

**SAVIO**  
*Quality and innovation  
for closing system*